

# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

05-01-2017

## ELECTRICAL AND ELECTRONICS ENGINEERING

SL.No.	USN	NAME	49	P13EE51			P13EE52			P13EE53			P13EE54			P13EE55			P13EE56			P13EEL57			P13EEL58			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
1	4PS12EE027	NEETHI PATEL M S		26	7	33	0.0	0	F	22	5	27	0.0	0	F				31	17	48	0.0	0	F				25	7	32	0.0	0	F										0												
2	4PS14EE001	AAYEESHA SIDDIQUA		42	33	75	4.0	9	A	37	28	65	4.0	8	B	46	41	87	4.0	9	A	44	35	79	4.0	9	A	48	41	89	3.0	9	A	43	34	77	4.0	9	A	49	40	89	1.5	9	A	48	46	94	1.5	10	S				8.90
3	4PS14EE002	ABHISHEK R		31	32	63	4.0	8	B	21	21	42	4.0	4	E	31	26	57	4.0	7	C	28	20	48	4.0	5	D	40	32	72	3.0	8	B	29	24	53	4.0	7	C	48	35	83	1.5	9	A	48	48	96	1.5	10	S				6.79
4	4PS14EE003	AKSHAY KUMAR L Y		40	28	68	4.0	8	B	29	20	49	4.0	5	D	46	26	72	4.0	8	B	35	29	64	4.0	8	B	48	40	88	3.0	9	A	48	29	77	4.0	9	A	49	41	90	1.5	10	S	48	47	95	1.5	10	S				8.04
5	4PS14EE004	AKSHAY KUMAR R		43	39	82	4.0	9	A	34	40	74	4.0	8	B	47	35	82	4.0	9	A	40	28	68	4.0	8	B	48	39	87	3.0	9	A	44	36	80	4.0	9	A	49	43	92	1.5	10	S	48	47	95	1.5	10	S				8.81
6	4PS14EE005	ANITHA N		43	33	76	4.0	9	A	44	34	78	4.0	9	A	46	46	92	4.0	10	S	46	36	82	4.0	9	A	49	38	87	3.0	9	A	42	42	84	4.0	9	A	49	45	94	1.5	10	S	48	48	96	1.5	10	S				9.27
7	4PS14EE006	ANUPAMA T H		35	25	60	4.0	8	B	33	21	54	4.0	7	C	43	45	88	4.0	9	A	45	31	76	4.0	9	A	46	36	82	3.0	9	A	40	32	72	4.0	8	B	49	44	93	1.5	10	S	48	47	95	1.5	10	S				8.50
8	4PS14EE007	APOORVA G N		34	20	54	4.0	7	C	31	22	53	4.0	7	C	30	24	54	4.0	7	C	29	35	64	4.0	8	B	38	38	76	3.0	9	A	43	29	72	4.0	8	B	49	35	84	1.5	9	A	48	48	96	1.5	10	S				7.83
9	4PS14EE009	CHAITRA K		42	21	63	4.0	8	B	36	24	60	4.0	8	B	38	32	70	4.0	8	B	39	28	67	4.0	8	B	47	38	85	3.0	9	A	43	35	78	4.0	9	A	49	43	92	1.5	10	S	48	48	96	1.5	10	S				8.50
10	4PS14EE011	DAMANG HIWOTMI PHAWA		22	20	42	4.0	4	E	22	14	36	0.0	0	F	36	20	56	4.0	7	C	27	21	48	4.0	5	D	38	31	69	3.0	8	B	30	20	50	4.0	7	C	49	34	83	1.5	9	A	46	46	92	1.5	10	S				5.56
11	4PS14EE013	DIVYASHREE H C		40	23	63	4.0	8	B	33	24	57	4.0	7	C	37	31	68	4.0	8	B	40	29	69	4.0	8	B	44	32	76	3.0	9	A	40	39	79	4.0	9	A	47	38	85	1.5	9	A	47	47	94	1.5	10	S				8.29
12	4PS14EE014	GAANA H		38	23	61	4.0	8	B	26	25	51	4.0	7	C	36	40	76	4.0	9	A	40	28	68	4.0	8	B	42	39	81	3.0	9	A	41	21	62	4.0	8	B	47	42	89	1.5	9	A	48	45	93	1.5	10	S				8.29
13	4PS14EE015	GOVINDARAJU H		43	29	72	4.0	8	B	31	33	64	4.0	8	B	39	36	75	4.0	9	A	42	33	75	4.0	9	A	47	39	86	3.0	9	A	44	32	76	4.0	9	A	48	41	89	1.5	9	A	48	48	96	1.5	10	S				8.75
14	4PS14EE016	GOWRAMMA		46	24	70	4.0	8	B	36	30	66	4.0	8	B	44	39	83	4.0	9	A	36	36	72	4.0	8	B	41	30	71	3.0	8	B	43	37	80	4.0	9	A	47	41	88	1.5	9	A	47	48	95	1.5	10	S				8.48
15	4PS14EE017	JEEVAN T J		33	22	55	4.0	7	C	33	21	54	4.0	7	C	36	25	61	4.0	8	B	39	35	74	4.0	8	B	42	33	75	3.0	9	A	38	25	63	4.0	8	B	47	34	81	1.5	9	A	47	48	95	1.5	10	S				7.98
16	4PS14EE018	KAVERI R G		34	33	67	4.0	8	B	29	20	49	4.0	5	D	36	32	68	4.0	8	B	33	30	63	4.0	8	B	41	33	74	3.0	8	B	39	29	68	4.0	8	B	47	35	82	1.5	9	A	47	48	95	1.5	10	S				7.71
17	4PS14EE019	LOHITH D		29	9	38	0.0	0	F	27	12	39	0.0	0	F	34	33	67	4.0	8	B	36	26	62	4.0	8	B	44	35	79	3.0	9	A	40	26	66	4.0	8	B	47	35	82	1.5	9	A	47	47	94	1.5	10	S				5.83
18	4PS14EE020	MAHANANDU P		39	28	67	4.0	8	B	37	34	71	4.0	8	B	44	29	73	4.0	8	B	42	27	69	4.0	8	B	46	39	85	3.0	9	A	39	35	74	4.0	8	B	47	39	86	1.5	9	A	47	46	93	1.5	10	S				8.29
19	4PS14EE021	MANOJGOWDA S P		40	23	63	4.0	8	B	44	20	64	4.0	8	B	39	29	68	4.0	8	B	37	31	68	4.0	8	B	45	36	81	3.0	9	A	44	24	68	4.0	8	B	48	42	90	1.5	10	S	47	45	92	1.5	10	S				8.35
20	4PS14EE023	MEGHASHREE N K		36	14	50	0.0	0	F	29	29	58	4.0	7	C	41	27	68	4.0	8	B	40	32	72	4.0	8	B	47	39	86	3.0	9	A	42	29	71	4.0	8	B	47	38	85	1.5	9	A	47	46	93	1.5	10	S				6.90

P13EE51 : - Power Electronics  
 P13EE52 : - Linear Automatic Control Systems  
 P13EE53 : - Digital Signal Processing  
 P13EE54 : - Power Transmission Distribution  
 P13EE55 : - Management Entrepreneurship

P13EE56 : - Operational Amplifiers Linear Integrated Circuits  
 P13EEL57 : - Power Electronics Lab  
 P13EEL58 : - Electrical Machines Lab - II

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained  
 Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
 W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
 G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
 FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
 \* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
 Controller of Examinations  
 P.E.S. College of Engineering,  
 Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.



# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU, Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

05-01-2017

## ELECTRICAL AND ELECTRONICS ENGINEERING

SL.No.	USN	NAME	49	P13EE51			P13EE52			P13EE53			P13EE54			P13EE55			P13EE56			P13EEL57			P13EEL58			C S T CR GP GR			SGPA																								
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T		CR	GP	GR	C	S	T	CR	GP	GR															
21	4PS14EE024	MOHAMED ADNAN KHAN		41	37	78	4.0	9	A	32	24	56	4.0	7	C	35	38	73	4.0	8	B	43	27	70	4.0	8	B	48	38	86	3.0	9	A	43	30	73	4.0	8	B	49	45	94	1.5	10	S	49	42	91	1.5	10	S				8.35
22	4PS14EE025	PRABHALYA N		36	20	56	4.0	7	C	24	21	45	4.0	5	D	31	23	54	4.0	7	C	26	30	56	4.0	7	C	39	37	76	3.0	9	A	43	22	65	4.0	8	B	49	43	92	1.5	10	S	49	44	93	1.5	10	S				7.42
23	4PS14EE026	NAVYA SHREE N S		39	28	67	4.0	8	B	32	31	63	4.0	8	B	42	37	79	4.0	9	A	35	40	75	4.0	9	A	42	36	78	3.0	9	A	40	27	67	4.0	8	B	48	42	90	1.5	10	S	49	43	92	1.5	10	S				8.65
24	4PS14EE027	NIKHITHA B K		39	34	73	4.0	8	B	26	28	54	4.0	7	C	36	23	59	4.0	7	C	36	25	61	4.0	8	B	39	30	69	3.0	8	B	37	20	57	4.0	7	C	48	39	87	1.5	9	A	49	41	90	1.5	10	S				7.71
25	4PS14EE028	POOJA		30	20	50	4.0	7	C	24	20	44	4.0	4	E	33	21	54	4.0	7	C	31	24	55	4.0	7	C	39	36	75	3.0	9	A	39	27	66	4.0	8	B	48	35	83	1.5	9	A	49	42	91	1.5	10	S				7.21
26	4PS14EE029	POOJA N		31	20	51	4.0	7	C	24	22	46	4.0	5	D	29	23	52	4.0	7	C	33	24	57	4.0	7	C	39	35	74	3.0	8	B	39	24	63	4.0	8	B	48	37	85	1.5	9	A	49	41	90	1.5	10	S				7.25
27	4PS14EE030	PREETHAM T M		29	20	49	4.0	5	D	21	23	44	4.0	4	E	29	32	61	4.0	8	B	36	30	66	4.0	8	B	40	36	76	3.0	9	A	37	26	63	4.0	8	B	48	37	85	1.5	9	A	48	42	90	1.5	10	S				7.21
28	4PS14EE031	RAHUL NAYAKA Y N		32	23	55	4.0	7	C	37	34	71	4.0	8	B	33	35	68	4.0	8	B	35	31	66	4.0	8	B	42	30	72	3.0	8	B	41	23	64	4.0	8	B	48	44	92	1.5	10	S	49	41	90	1.5	10	S				8.08
29	4PS14EE032	SAHANA JAIN M P		45	35	80	4.0	9	A	36	34	70	4.0	8	B	43	31	74	4.0	8	B	42	43	85	4.0	9	A	45	37	82	3.0	9	A	46	39	85	4.0	9	A	49	45	94	1.5	10	S	49	45	94	1.5	10	S				8.81
30	4PS14EE033	SAHANA M J		43	29	72	4.0	8	B	32	23	55	4.0	7	C	41	36	77	4.0	9	A	42	35	77	4.0	9	A	47	34	81	3.0	9	A	39	33	72	4.0	8	B	48	44	92	1.5	10	S	49	42	91	1.5	10	S				8.50
31	4PS14EE034	SATYANARAYANA.B.L		35	25	60	4.0	8	B	23	22	45	4.0	5	D	33	28	61	4.0	8	B	35	26	61	4.0	8	B	38	32	70	3.0	8	B	31	20	51	4.0	7	C	46	35	81	1.5	9	A	49	40	89	1.5	9	A				7.50
32	4PS14EE036	SHILPA D		30	13	43	0.0	0	F	31	10	41	0.0	0	F	25	21	46	4.0	5	D	30	20	50	4.0	7	C	44	30	74	3.0	8	B	35	12	47	0.0	0	F	47	35	82	1.5	9	A	49	42	91	1.5	10	S				3.87
33	4PS14EE037	SUSHMITHA B C		34	20	54	4.0	7	C	29	25	54	4.0	7	C	38	30	68	4.0	8	B	41	28	69	4.0	8	B	45	37	82	3.0	9	A	42	31	73	4.0	8	B	48	40	88	1.5	9	A	49	41	90	1.5	10	S				7.98
34	4PS14EE038	SUSHMITHA K R		25	15	40	0.0	0	F	22	20	42	4.0	4	E	32	14	46	0.0	0	F	30	20	50	4.0	7	C	37	29	66	3.0	8	B	36	21	57	4.0	7	C	48	38	86	1.5	9	A	49	41	90	1.5	10	S				4.79
35	4PS14EE039	SUSHRAVYA M S		35	24	59	4.0	7	C	26	24	50	4.0	7	C	34	28	62	4.0	8	B	36	24	60	4.0	8	B	44	30	74	3.0	8	B	45	29	74	4.0	8	B	48	38	86	1.5	9	A	49	40	89	1.5	9	A				7.81
36	4PS14EE040	SWETHA		35	20	55	4.0	7	C	23	21	44	4.0	4	E	31	30	61	4.0	8	B	28	21	49	4.0	5	D	41	33	74	3.0	8	B	41	37	78	4.0	9	A	48	37	85	1.5	9	A	49	40	89	1.5	9	A				7.04
37	4PS14EE041	SYED TOUFIQ		34	26	60	4.0	8	B	37	37	74	4.0	8	B	40	35	75	4.0	9	A	36	31	67	4.0	8	B	40	31	71	3.0	8	B	41	37	78	4.0	9	A	48	39	87	1.5	9	A	49	45	94	1.5	10	S				8.48
38	4PS14EE043	KISHOR G		24	20	44	4.0	4	E	31	24	55	4.0	7	C	33	20	53	4.0	7	C	36	22	58	4.0	7	C	44	34	78	3.0	9	A	40	29	69	4.0	8	B	47	39	86	1.5	9	A	49	43	92	1.5	10	S				7.21
39	4PS15EE400	BALAJI NAIK D		26	11	37	0.0	0	F	24	20	44	4.0	4	E	31	20	51	4.0	7	C	27	18	45	0.0	0	F	31	29	60	3.0	8	B	34	24	58	4.0	7	C	48	38	86	1.5	9	A	49	48	97	1.5	10	S				4.79
40	4PS15EE401	DILEEPA M R		34	20	54	4.0	7	C	23	20	43	4.0	4	E	35	23	58	4.0	7	C	33	24	57	4.0	7	C	43	38	81	3.0	9	A	38	31	69	4.0	8	B	49	42	91	1.5	10	S	48	48	96	1.5	10	S				7.27
41	4PS15EE402	GURUNATHA		31	22	53	4.0	7	C	26	22	48	4.0	5	D	26	27	53	4.0	7	C	24	22	46	4.0	5	D	39	36	75	3.0	9	A	33	28	61	4.0	8	B	46	30	76	1.5	9	A	46	46	92	1.5	10	S				7.06


P13EE51 : - Power Electronics  
P13EE52 : - Linear Automatic Control Systems  
P13EE53 : - Digital Signal Processing  
P13EE54 : - Power Transmission Distribution  
P13EE55 : - Management Entrepreneurship

P13EE56 : - Operational Amplifiers Linear Integrated Circuits  
P13EEL57 : - Power Electronics Lab  
P13EEL58 : - Electrical Machines Lab - II

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point, GR- Grade, 111 - Absent, DT - Detained  
Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission  
W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance  
G -Satisfactory CIE and Attendance but Absent for SEE without Permission  
FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail  
\* Mandatory Learning Course (\*PP : Passed ; \*NP : Not Passed)

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out-standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.







# P.E.S COLLEGE OF ENGINEERING, MANDYA - 571 401

(An Autonomous Institution Affiliated to VTU,Belgaum)

Provisional Results of Fifth Semester B.E Semester End Examination for the Academic year 2016-17

05-01-2017

## ELECTRICAL AND ELECTRONICS ENGINEERING

SL.No.	USN	NAME	3	P08EE52			P08EE53			P08EE54			P08EE56			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			C S T CR GP GR			SGPA						
				C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR	C	S	T	CR	GP	GR		C	S	T	CR	GP	GR
1	4PS09EE033	SHRAVAN KUMAR														34	4	38	0.0	0	F																			0
2	4PS13EE401	RAGHAVENDRA K T		22	7	29	0.0	0	F	29	111	29	0.0	0	G	20	13	33	0.0	0	F																			0

P08EE52 : - Linear Control Systems

P08EE53 : - Digital Signal Processing

P08EE54 : - Power Transmission Distribution

P08EE56 : - Operational Amplifiers LIC

C - CIE, S - SEE, T - CIE+SEE, CR -Credits, GP - Grade Point , GR- Grade , 111 - Absent, DT - Detained

Transitional Grades: I - Satisfactory CIE and Attendance but Absent for SEE with permission

W - Withdrawn from the Course N - Not Eligible w.r.t either CIE / Attendance

G -Satisfactory CIE and Attendance but Absent for SEE without Permission

FCD - First Class with Distinction, FC - First Class, SC - Second Class, PC - Pass Class, FL - Fail

\* Mandatory Learning Course ( \*PP : Passed ; \*NP : Not Passed )

Percentage Equivalence of Grade Points (10 - Point Scale)

SGPA	Percentage of Marks / Class (SGPA - 0.75) x 10	Level	Out - standing	Excellent	Very Good	Good	Average	Poor	Fail
5.75	50 (Second Class)	Grade	S	A	B	C	D	E	F
6.25	55	Grade Points	10	09	08	07	05	04	00
6.75	60 (First Class)	Raw Score	90 Above	89-75	74-60	59-50	49-45	44-40	Below 40
7.25	65								
7.75	70 (Distinction)								
8.25	75								



Dr. K. Narasimha Chary  
Controller of Examinations  
P.E.S. College of Engineering,  
Mandya

Note : Candidates are informed to bring to the notice of COE for any discrepancy, if any, within three days from the date of announcement of results. Subsequent requests will not be entertained.

